

Product: Linear Fixture-Surface Mount
Model Number(s): MLLFSMXW



Product

Meomi Lighting energy efficient high quality linear Fixture. Made with high quality materials throughout. Meomi linear fixtures come with industry leading Warranty package.
Mounting: Surface Mounted
Length Offerings: 2FT, 4 FT, 6FT & 8FT

LED Details

Luminous Efficacy: 110/130 Lumens/Watt
CRI \geq 80
Colour Offerings: 2700-6000 K
Life: 50,000 Hours
Light Projection: Downward

Electrical

Voltage:100-277 VAC
Power: 20/40/60/80 Watt (10Watt/FT)
Power Factor \geq .90
Dimming: Optional (0-10V)
Flicker Free: Yes

Materials

Aluminum housing
Opal or Microprismatic lens
High quality LED chips
Finish: Silver, Black & White
Connectable Fixtures for various combinations
Housing Dimensions (inch): 2.7(Width) X 3.4 (Height)



Warranty

60 months from shipment



Certification




Technical Specifications:

Dimension (FT)	Power (Watt)	Input Voltage (V)	Luminous Efficacy (Lm/Watt)	Lumen Output (Lumens)	Typical CCT (K)	CRI
2	20	100-277 V AC	110	2200	3000-6000	83
4	40			4400		
6	60			6600		
8	80			8800		
2	20		130	2600		
4	40			5200		
6	60			7800		
8	80			10400		

Photometric view:



Surface Mounted Installation Instruction:



1. Isolate Power
2. Place Back Plate of the Linear Fixture directly on Ceiling
3. Fit up the screws and install the Linear Fixture
4. Install the remote LED driver
5. Turn on power

Safety Instruction:

Warning: Please strictly follow the safety instruction.

- Must be installed by professional electrician.
- Ensure the power is switched off before installation.
- Use the designated voltage range.
- Light can never be covered by heat insulation pad or similar materials.
- Do not light up the light fixture without proper grounding.
- Non Certified professionals are not allowed to disassemble and service this product.



Please note the following:

- * Product details are subject to change without prior notice
- * Please contact nearest Meomi Lighting team/representative for all engineered solutions requirements
- * Products may vary from the picture(s) provided in this data sheet