

Product: Moon Wall Pack
Model Number(s): MLMWPXW



Product

Meomi Lighting energy saving high quality moon wall Pack. Made with high quality materials throughout. Our moon wall packs have eye catching design, also up & down lighting effect.

LED Details

Luminous Efficacy: 100/140 Lumens/Watt
CRI \geq 70 or 80
Colour Offerings: 3000-6500 K
Life: 50,000 Hours
Beam Angle: 120 $^{\circ}$ -180 $^{\circ}$

Electrical

Voltage: 100-277 VAC (347-480 VAC-Optional)
Power: 40/60/80/100 Watt
Power Factor \geq 90
Photocell & Microwave Sensor: Optional
Dimmable: Yes, (0-10V)
Surge Protector: Optional

Materials

Borosilicate glass lens/plastic covering
Silicon rubber gasket
High quality LED chips
High pressure die cast housing
Anti static powder painting
Aluminium heat sink directly attached




Warranty

60 months from shipment

Certification



Dimensional Drawings (Dimensions in mm)




Design Options




Technical Specification:

Power (Watt)	Input Voltage (V)	Luminous Efficacy (Lm/Watt)	Lumen Output (Lumens)	Typical CCT (K)	CRI
40	100-277 V AC (347-480 VAC- Optional)	100	4000	3000-6500	70/80
60			6000		
80			8000		
100			10000		
40		140	5600		
60			8400		
80			11200		
100			14000		

Photometric view:



Moon Wall Pack



Planner Illuminance Curve

Please note the following:

- * Product details are subject to change without prior notice
- * Please contact nearest Meomi Lighting team/representative for all engineered solutions requirements
- * Products may vary from the picture(s) provided in this data sheet