

Product: Elegant - LED Chandelier Product Code: ILCP207 - Customizable



Warranty 36 months from shipment

c Louis Intertek

Key Features:

Light Source: LEDVoltage: 100-277V AC

Power: 30 Watts, 40 Watts, 50 Watts, 60 Watts

Dimmable: Yes, TRIAC DimmingLED Working Hours: 30,000

Beam Angle: 120°

Dimensions (inch):

Length: 20"/32"/48"/60"

Height: 47.24" - Custom Height available

Width: 18" Extension: N/A

Canopy Dimensions (inch):

Diameter: N/A
Height: N/A
Width: N/A
Extension: N/A

Type:

Elegant - LED Chandelier

Usage:

Indoor Dry Location

Material:

Metal and Acrylic Diffuser

Mounting:

Ceiling

Lighting Performance:

Dimensions (inch)	Power	Luminous Efficacy	LED Colour Temperature	CRI	Lumen Output
20 (L) X 18 (W)	30W	60-70 Lumens/Watt	2700-6000K	>80	1800 Lumens
32 (L) X 18 (W)	40W	60-70 Lumens/Watt	2700-6000K	>80	2400 Lumens
48 (L) X 18 (W)	50W	60-70 Lumens/Watt	2700-6000K	>80	3000 Lumens
60 (L) X 18 (W)	60W	60-70 Lumens/Watt	2700-6000K	>80	3600 Lumens


Finish: Oil Rubbed Bronze (ORB), Brushed Nickel (BN), Chrome (CH), Brass (BR) Powder Coated Finish: White (WH), Black (BK), Gray (GR)

** Custom finish as requested

Standard finishes



Powder coated finishes



Copyright (2025-2026) Meomi Lighting https://meomilighting.com

Light Temperature Guide:



Shade / Glass / Diffuser Details:

Part	Material	Finish	Quantity	Item Number	Length	Width	Height	Diameter	Fitter Diameter	Shade Top Length	Shade Top Width	Shade Top Diameter
Diffuser	Acrylic											

Shipping Information:

Package Type	Product #	Quantity	UPC	Length	Width	Height	Cube	Weight	Frt. Class	UPS Ship
Individual										
Master Pack										
Shipping Master										
NJ Pallet										
NV Pallet										

Project Name:		Notes:
LED Color Temperature:	2700-6000K	
Body Finishes:		
Diffuser Finishes:		

Disclaimer:

- Product details are subject to change without prior notice
 Please contact nearest Meomi Lighting team/representative for all engineered solutions requirements
- Products may vary from the picture(s) provided in this data sheet