














MEOMI
LIGHTING

Commercial LED - Quick Ship (2021 -2023)

Background picture taken at - Journey Church, Tennessee, USA

Commercial LED Quick Ship

<p>Linear High Bay</p>  <p>Product Code: MLLHBXW-2FS Power: 80/100/160 Watt Length: 2 Ft Luminous Efficacy: 130 Lumens/Watt Led Temp: 5000 K</p>	<p>Linear High Bay</p>  <p>Product Code: MLLHBXW-4FS Power: 160/220/320 Watt Length: 4 Ft Luminous Efficacy: 130 Lumens/Watt Led Temp: 5000 K</p>	
<p>Linear High Bay</p>  <p>Product Code: MLLHB150W-2FS Power: 150 Watt Voltage: 120-347 VAC Length: 2 Ft Luminous Efficacy: 140 Lumens/Watt Led Temp: 5000 K Certification: DLC Premium</p>	<p>Linear High Bay</p>  <p>Product Code: MLLHB200W-4FS Power: 200 Watt Voltage: 120-277 VAC Length: 4 Ft Luminous Efficacy: 140 Lumens/Watt Led Temp: 5000 K Certification: DLC Premium</p>	<p>Edge Lit Flat Panel</p>  <p>Product Code: MLELFPXW-2X2S Power: 30/40 Watt Dimension: 2 X 2 Luminous Efficacy: 110 Lumens/Watt Led Temp: 4000 K or 5000 K</p>
<p>Edge Lit Flat Panel</p>  <p>Product Code: MLELFP50W-2X4S Power: 50 Watt Dimension: 2 X 4 Luminous Efficacy: 110 Lumens/Watt Led Temp: 4000 K or 5000 K</p>	<p>Edge Lit Flat Panel</p>  <p>Product Code: MLELFPXW-2X4S Power: 50/72 Watt Dimension: 2 X 4 Luminous Efficacy: 130 Lumens/Watt Led Temp: 4000 K or 5000 K</p>	<p>Edge Lit Flat Panel</p>  <p>Product Code: MLELFP40W-1X4S Power: 40 Watt Dimension: 1 X 4 Luminous Efficacy: 130 Lumens/Watt Led Temp: 4000 K or 5000 K</p>
<p>Back Lit Flat Panel</p>  <p>Product Code: MLTBLFPXW Power: 25/30/35/40 Watt Dimension: 2 X 2 Luminous Efficacy: 110 Lumens/Watt Led Temp: 3000-3500-4000-5000 K Temp Type: Tunable</p>	<p>Back Lit Flat Panel</p>  <p>Product Code: MLTBLFPXW Power: 35/40/45/50 Watt Dimension: 2 X 4 Luminous Efficacy: 110 Lumens/Watt Led Temp: 3000-3500-4000-5000 K Temp Type: Tunable</p>	<p>Eco LED High Bay Light</p>  <p>Product Code: MLERHBXW Power: 100/150/200 Watt Luminous Efficacy: 130 Lumens/Watt Led Temp: 5000 K Dimmable: 0-10V</p>

Commercial LED Quick Ship

Classic LED High Bay Light



Product Code: MLCRHBXW
Power: 100/150/200/240/300 Watt
Luminous Efficacy: 130 Lumens/Watt
Led Temp: 5000 K
Dimmable: 0-10V

Street Light SD1



Product Code: MLSTRXW-SD1
Power: 100/150/200/300 Watt
Luminous Efficacy: 150 Lumens/Watt
Led Temp: 5000 K

Street Light SD2



Product Code: MLSTRXW-SD2
Power: 100/200 Watt
Luminous Efficacy: 130 Lumens/Watt
Led Temp: 5000 K

Troffer - 2X2



Product Code: MLT2X225W
Dimension: 2X2
Power: 25/36 Watt
Luminous Efficacy: 125 Lumens/Watt
Led Temp: 5000 K or 4000 K

Troffer - 2X4



Product Code: MLT2X236W
Dimension: 2X4
Power: 36 Watt
Luminous Efficacy: 125 Lumens/Watt
Led Temp: 5000 K or 4000 K

Architectural Troffer - 2X2



Product Code: MLSDT2X225W
Dimension: 2X2
Power: 25 Watt
Luminous Efficacy: 125 Lumens/Watt
Led Temp: 5000 K or 4000 K

Architectural Troffer - 2X4



Product Code: MLSDT2X4XW
Dimension: 2X4
Power: 36/50 Watt
Luminous Efficacy: 125 Lumens/Watt
LED Temp: 4000 K or 5000 K

Emergency Battery



90 Mins Power Supply

Retrofit Downlight



Product Code: MLTRDL8W
Dimension: 4 Inch Dia
Power: 8 Watt
LED Temp: CCT Tunable
(3000-4000-500K)

Retrofit Downlight



Product Code: MLTRDL8W
Dimension: 6 Inch Dia
Power: 12 Watt
LED Temp: CCT Tunable
(3000-4000-500K)

Slim Downlight



Product Code: MLTSDLXW
Power: 5/9/15/18 Watt
Dimension: 3/4/6/8 Inch Dia
LED Temp: CCT Tunable
(3000-4000-500K)

Commercial LED Quick Ship

LED Flushmount



Product Code: MLILFM1-24W
Power: 24 Watt
LED Temp: 4000 K

LED Flushmount



Product Code: MLILFM2-XW
Power: 10/15 Watt
Dia: 5/7 Inch
LED Temp: CCT Tunable
(3000-4000-5000K)

LED Flushmount



Product Code: MLILFM3-XW
Power: 18/22 Watt
Dia: 9/12 Inch
LED Temp: CCT Tunable
(3000-4000-5000K)

LED T8 - Type A+B



Product Code: MLILT8XW-4FS-SD1
Length: 4 Ft
Power: 12/15/18 Watt
Luminous Efficacy: 150 Lumens/Watt
LED Temp: 4000 K or 5000 K

LED T8 - 8F - SD2



Product Code: MLILT8L40W-8FS-SD2
Length: 8 Ft
Power: 40 Watt
Luminous Efficacy: 130 Lumens/Watt
LED Temp: 4000 K or 5000 K
Feature: Double End Power

LED T8 - 4F - SD3



Product Code: MLILT8L30W-4FS-SD3
Length: 4 Ft
Power: 30 Watt
Luminous Efficacy: 130 Lumens/Watt
LED Temp: 4000 K or 5000 K

LED T8 - 8F - SD3



Product Code: MLILT8L30W-8FS-SD3
Length: 8 Ft
Power: 60 Watt
Luminous Efficacy: 130 Lumens/Watt
LED Temp: 4000 K or 5000 K

LED Strip Fixture



Product Code: MLSL30W
Length: 4 Ft
Power: 30 Watt
Luminous Efficacy: 150 Lumens/Watt
LED Temp: 4000 K or 5000 K

LED Strip Fixture



Product Code: MLSL60W
Length: 8 Ft
Power: 60 Watt
Luminous Efficacy: 150 Lumens/Watt
LED Temp: 4000 K or 5000 K

LED Vapour Tight Fixture



Product Code: MLVT35W
Length: 4 Ft
Power: 45/40 Watt
Luminous Efficacy: 130 Lumens/Watt
LED Temp: 5000 K

Commercial Downlight



Product Code: MLCDLXW
Size: 6 Inch Dia
Power: 15/20 Watt
LED Temp: 4000 K

Commercial LED Quick Ship



Commercial Downlight



Product Code: MLCDLXW
Size: 8 Inch Dia
Power: 15/20 Watt
LED Temp: 4000 K

Standard Wall Pack



Product Code: MLSWPXW
Power: 62/80/100/120 Watt
Luminous Efficacy: 130 Lumens/Watt
LED Temp: 5000 K

Full Cut Off Wall Pack



Product Code: MLFCOWPXW
Power: 80/100 Watt
Luminous Efficacy: 115 Lumens/Watt
LED Temp: 5000 K

Half Moon Wall Pack



Product Code: MLHMWPXW
Power: 30/60 Watt
Luminous Efficacy: 130 Lumens/Watt
LED Temp: 5000 K

Mini Wall Pack



Product Code: MLMWPXW
Power: 13/26 Watt
Luminous Efficacy: 105 Lumens/Watt
LED Temp: 5000 K

Canopy Light - SD1



Product Code: MLCLXW-SD1
Power: 40/55 Watt
Luminous Efficacy: 130 Lumens/Watt
LED Temp: 5000 K

Canopy Light - SD2



Product Code: MLCL150W-SD2
Power: 150 Watt
Luminous Efficacy: 130 Lumens/Watt
LED Temp: 5000 K

Canopy Light - SD3



Product Code: MLCLXW-SD2
Power: 30/40/60 Watt
Luminous Efficacy: 130 Lumens/Watt
LED Temp: 5000 K

Outdoor Garden Light



Product Code: MLILPTLXW
Power: 40/60/100/150 Watt
Luminous Efficacy: 130 Lumens/Watt
LED Temp: 5000 K

Floodlight - SD1



Product Code: MLFL15W-SD1
Power: 15 Watt
Luminous Efficacy: 120 Lumens/Watt
LED Temp: 5000 K

Floodlight - SD2



Product Code: MLFLXW-SD2
Power: 30/50/80 Watt
Luminous Efficacy: 120 Lumens/Watt
LED Temp: 5000 K

Commercial LED Quick Ship

Floodlight - SD3



Product Code: MLFL100W-SD3
Power: 100 Watt
Luminous Efficacy: 130 Lumens/Watt
LED Temp: 5000 K

Floodlight - SD4




Product Code: MLFLXW-SD4
Power: 80/100/150 Watt
Luminous Efficacy: 100 Lumens/Watt
LED Temp: 5000 K

Dusk to Dawn Light



Product Code: MLDDL55W
Power: 55 Watt
Lumen Output: 6800 Lumens
LED Temp: 5000 K

Corn Light



Product Code: MLCRNLXW
Power: 60/80/100/120/150 Watt
Luminous Efficacy: 110 Lumens/Watt
LED Temp: 5000 K

Retrofit Kit Light



Product Code: MLRKLXW
Power: 80/120/150/300 Watt
Luminous Efficacy: 115 Lumens/Watt
LED Temp: 5000 K

Exit Light - SD1



Product Code: MLELXW-SD1
Power: 4 Watt
Charging Time: 24 Hours
Discharge Time: 3 Hours

Exit Light - SD2



Product Code: MLELXW-SD2
Power: 3.5 Watt
Charging Time: 24 Hours
Discharge Time: 3 Hours

Twin Security Light - White



Product Code: MLTOSL20W-White
Power: 20 Watt

Twin Security Light - Black



Product Code: MLTOSL20W-Black
Power: 20 Watt

LED Chandelier



Product Code: ILCP110S - Silver
Power: 56 Watt
LED Temp: CCT Tunable
Dimmable
Dia: 400mm

LED Chandelier



Product Code: ILCP110S - Silver
Power: 76 Watt
LED Temp: CCT Tunable
Dimmable
Dia: 600mm

Commercial LED Quick Ship

LED Chandelier



Product Code: ILCP110S - Gold
Power: 56 Watt
LED Temp: CCT Tunable
Dimmable
Dia: 400mm

LED Chandelier



Product Code: ILCP110S - Gold
Power: 76 Watt
LED Temp: CCT Tunable
Dimmable
Dia: 600mm





www.meomilighting.com

Meomi Lighting Inc.
300-22 King Street South
Waterloo, ON, N2J 1N8
Tel: 226.499.8547
Fax: 519.279.0162
Email: reachout@meomilighting.com

© Meomi Lighting Inc. (2019-2023)